

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau

PCT



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 4: C12N 5/00, 5/02, 15/00	A1	`	1) International Publication Number: WO 88/00967 3) International Publication Date: 11 February 1988 (11.02.88)	
(21) International Application Number: PCT/AU (22) International Filing Date: 4 August 1987	•		(74) Agent: F. B. RICE & CO.; 28A Montague Street, Balmain, NSW 2041 (AU).	
(31) Priority Application Number: (32) Priority Date: 4 August 1986 (33) Priority Country:	`	86)	(81) Designated States: AT (European patent), AU, BE (European patent), CH (European patent), DE (European patent), FR (European patent), GB (European patent), IT (European patent), JP, LU (European patent), NL (European patent), SE (European patent), US.	
(71) Applicants (for all designated States except US): THE UNIVERSITY OF NEW SOUTH WALES [AU/AU]; 221-227 Anzac Parade, Kensington, NSW 2033 (AU). GARVAN INSTITUTE OF MEDICAL RESEARCH [AU/AU]; 384 Victoria Street, Darlinghurst, NSW 2010 (AU). (72) Inventors; and (75) Inventors/Applicants (for US only): GRAY, Peter, Philip [AU/AU]; 74 Cameron Street, Edgecliff, NSW 2027 (AU). LAZARUS, Leslie [AU/AU]; 5 Woodward Place, St. Ives, NSW 2075 (AU). MARSDEN, Warwick, Lloyd [AU/AU]; 109 Alsion Road, Randwick, NSW 2031 (AU).		Published With international search report With amended claims. Date of publication of the amended claims: 10 March 1988 (10.03.88)		
(54) Title: SERUM FREE TISSUE CULTURE	(54) Title: SERUM FREE TISSUE CULTURE MEDIUM CONTAINING POLYMERIC CELL-PROTECTIVE			

(54) Title: SERUM FREE TISSUE CULTURE MEDIUM CONTAINING POLYMERIC CELL-PROTECTIVE

(57) Abstract

An essentially serum-free tissue culture medium characterised in that it includes in solution a polymer which acts as cell protective agent by reducing film drainage around cells. Preferred polymers are polyethylene glycol, polyvinyl pyrollidone and polymers containing one or more alkylene oxide. This tissue culture medium is of particular use in the cultivation of cells requiring attachment under aeration. Methods of cultivation of such cells are also claimed.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France		Mali
AU	Australia	GA	Gabon	MR	Mauritania
BB	Barbados	GB	United Kingdom	MW	Malawi
BE	Belgium	HU	Hungary	NL	Netherlands
BG	Bulgaria	п	Italy	NO	Norway
	~	JР	Japan	RO	Romania
BJ	Benin	ΚP	Democratic People's Republic	SD	Sudan
BR	Brazil	M.	of Korea	SE	Sweden
CF	Central African Republic			SN	Senegal
ÇĢ	Congo	KR	Republic of Korea	SU	Soviet Union
CH	Switzerland	П	Liechtenstein		Chad
CM	Cameroon	Ĺĸ	Sri Lanka	TD	
DE	Germany, Federal Republic of	LU	Luxembourg	TG	Togo
DK	Denmark	MC	Моласо	US	United States of America
M	Finland	MG	Madagascar		

AMENDED CLAIMS

[received by the International Bureau on 29 January 1988 (29.01.88); original claims 1-24 replaced by new claims 1-21 (3 pages)]

- 1. A method of culturing mammalian cells which require attachment comprising the following steps:
 - Culturing the mammalian cells in a serum containing medium in a reaction vessel provided with a support medium to which the cells will attach until the cells have attached thereto and grown to the desired cell concentration;
 - 2. Decanting the serum containing medium;
 - 3. Replacing the decanted medium with an essentially serum-free medium which includes in solution a non-toxic polymer which is capable of acting as a cell protective agent by reducing film drainage around the cells and the support medium; and
 - 4. Aerating the culture.
- 2. A method as claimed in claim 1 in which the non-toxic polymer present in the serum-free medium is selected from the group comprising polyethylene glycol and polyvinyl pyrollidone.
- 3. A method as claimed in claim 1 in which the non-toxic polymer present in the serum-free medium is a polymer which contains one or more alkylene oxides.
- 4. A method as claimed in claim 3 in which the alkylene oxide contains 2 or 3 carbon atoms.
- 5. A method as claimed in claim 3 or claim 4 in which the polymer is a copolymer of propylene oxide and ethylene oxide.
- 6. A method as claimed in any one of claims 3 to 5 in which the polymer of alkylene oxides is present in the medium in a concentration of 0.1 to 1.0% by weight.
- 7. A method as claimed in claim 1 in which the reaction vessel is divided into a culture region and a cell-free region, the culture region being separated from the cell-free region by means of a filter through which

culture medium but not cells may pass.

- 8. A method as claimed in Claim 7 in which the aeration of the culture is conducted by bubbling a gas into the cell-free region of the reaction vessel.
- 9. A method as claimed in Claim 8 in which the aeration of the culture is achieved by aerating essentially serum-free medium free of cells in an aeration chamber remote from the reaction vessel, the aerated medium then being transferred into the reaction vessel.
- 10. A method as claimed in claim 9 in which the essentially serum-free medium free of cells which is subjected to aeration is, at least in part, medium taken from the cell-free region of the reaction tank.
- 11. A method as claimed in any one of claims 1 to 7 in which the aeration is carried out by means of a gas lift present within the reaction vessel.
- 12. A method as claimed in any one of claims 1 to 11 in which the mammalian cell is genetically engineered to contain DNA encoding a polypeptide, such that growth of the cells results in production of the polypeptide.
- 13. A method as claimed in claim 12 in which the polypeptide is recovered and purified from culture medium taken from the cell-free region of the reaction vessel.
- 14. A method as claimed in claim 12 or claim 13 in which the DNA coding for the polypeptide is under the control of an inducible promoter, the promoter being induced by a component of the essentially serum-free medium.
- 15. A method as claimed in any one of claims 12 to 14 in which the mammalian cells are a continuous cell line.
- 16. A method as claimed in claim 15 in which the continuous cell line is Chinese hamster ovary cell line.
- 17. A method as claimed in any one of claims 12 to 16 in which the polypeptide is human growth hormone.
- 18. A method as claimed in any one of claims 1 to 17 in which the essentially serum-free medium is also

essentially protein-free.

- 19. A method as claimed in any one of claims 1 to 18 in which the culture is agitated in a manner such that shear forces generated are low.
- 20. A method as claimed in any one of claims 12 to 19 in which the polypeptide is recovered from culture medium continuously removed from the reaction vessel, and fresh essentially serum-free medium is continuously added to the reaction vessel.
- 21. A method of culturing a mammalian cell which require attachment substantially as hereinbefore described with reference to Example 1 or 2.
- 22. A method of culturing mammalian cells which require attachment comprising the following steps:
 - culturing the mammalian cellsin a serum containing medium in a reaction vessel provided with a support medium to which the cells will attach until the cells have attached thereto and grown to the desired cell concentration;
 - 2. decanting the serum containing medium;
 - 3. replacing the decanted medium with an essentially serum-free medium; and
 - 4. aerating the culture in a manner such that the mammalian cells are not directly exposed to the aeration.

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

WO 88/ 00967 (51) International Patent Classification 4: (11) International Publication Number: A1 C12N 5/00, 5/02, 15/00 (43) International Publication Date: 11 February 1988 (11.02.88)

PCT/AU87/00248 (21) International Application Number:

4 August 1987 (04.08.87) (22) International Filing Date:

PH 7266 (31) Priority Application Number:

4 August 1986 (04.08.86) (32) Priority Date:

(71) Applicants (for all designated States except US): THE UNIVERSITY OF NEW SOUTH WALES [AU/AU]; 221-227 Anzac Parade, Kensington, NSW 2033 (AU). GARVAN INSTITUTE OF MEDICAL RESEARCH [AU/AU]; 384 Victoria Street, Darlinghurst, NSW 2010 (AÜ).

(72) Inventors; and (75) Inventors; and
(75) Inventors/Applicants (for US only): GRAY, Peter, Philip [AU/AU]; 74 Cameron Street, Edgecliff, NSW 2027 (AU). LAZARUS, Leslie [AU/AU]; 5 Woodward Place, St. Ives, NSW 2075 (AU). MARSDEN, Warwick, Lloyd [AU/AU]; 109 Alsion Road, Randwick, NSW 2031 (AU). (74) Agent: F. B. RICE & CO.; 28A Montague Street, Balmain, NSW 2041 (AU).

(81) Designated States: AT (European patent), AU, BE (European patent), CH (European patent), DE (European patent), FR (European patent), GB (European patent), IT (European patent), JP, LU (European patent), NL (European patent), SE (European patent), NL (European patent), SE (European patent),

Published

With international search report. With amended claims.

(54) Title: SERUM FREE TISSUE CULTURE MEDIUM CONTAINING POLYMERIC CELL-PROTECTIVE **AGENT**

(57) Abstract

(33) Priority Country:

An essentially serum-free tissue culture medium characterised in that it includes in solution a polymer which acts as cell protective agent by reducing film drainage around cells. Preferred polymers are polyethylene glycol, polyvinyl pyrollidone and polymers containing one or more alkylene oxide. This tissue culture medium is of particular use in the cultivation of cells requiring attachment under aeration. Methods of cultivation of such cells are also claimed.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

4	٩T	Austria	FR	France	ML	Mali
- 4	ΑU	Australia	GA	Gabon	MR	Mauritania
1	BB	Barbados	GB	United Kingdom	MW	Malawi
1	BE	Belgium	HU	Hungary	NL	Netherlands
1	BG	Bulgaria	IT	Italy	NO	Norway
1	BJ	Benin	JP	Japan	RO	Romania
1	BR	Brazil	KP	Democratic People's Republic	SD	Sudan
- (CIF .	Central African Republic		of Korea	SE	Sweden
(CG	Congo	KR	Republic of Korea	SN	Senegal
(CH	Switzerland	LI	Liechtenstein	SU	Soviet Union
(CM	Cameroon	LK	Sri Lanka	TĐ	Chad
1	DΕ	Germany, Federal Republic of	LÜ	Luxembourg	TG	Togo
1	OK	Denmark	MC	Monaco .	US	United States of America
1	FI	Finland	MG	Madagascar		

SERUM FREE TISSUE CULTURE MEDIUM CONTAINING POLYMERIC CELL-PROTECTIVE AGENT

The present invention relates to an improved culture medium for use in culturing mammalian cells requiring attachment, under aeration.

The present invention further relates to a method for producing polypeptides from mammalian cell lines into which DNA coding for the desired polypeptide has been inserted.

Developments in recombinant DNA technology have made it possible to insert DNA coding for a desired polypeptide into the genome of continuous mammalian cell lines. cell lines have certain advantages over the use of prokaryotic hosts such as E. coli. These advantages include the ability to secrete and glycosylate proteins, and the ability to process genetic material in an 15 identical fashion to that occurring in cells in the body. To be weighed against these advantages is the fact that the use of recombinant mammalian cells for the production of proteins involves large scale tissue culture, mostly in antibiotic free medium. Tissue culture requires more 20 precise environmental control and more rigorous design and operation of equipment to avoid contamination than does prokaryotic cell culture. A further disadvantage in the use of mammalian cells is that the medium used in the cultivation of these cells typically contains serum. The 25 presence of serum greatly adds to the complexity of isolation and purification of the desired polypeptide product from the culture media.

BACKGROUND ART

It is possible to place cells used in tissue culture
in two broad categories: (1) Those which grow free in
suspension culture, such as hybridoma cells, and (2) those
which grow attached to surfaces. The former cells can be
grown in suspension culture providing consideration is
taken of the fact that the cells do not possess cell walls
and are hence sensitive to shear forces. Cells in the

second category require increased surface area of cell growth in order to scale-up production. Various devices have been described in the literature to provide this increased surface area, including devices providing glass honeycomb surfaces, surfaces wrapped as sheets and glass spheres of several mm diameter. A full review of the various approaches described in the literature appears in the paper by Glacken et al (1983) (1).

Another approach is to use smaller diameter spherical particles which can be constructed from a range of 10 materials including cross linked dextran, polystyrene or The advantage of these particles, sometimes referred to as microcarriers, is that it is possible to achieve very high surface areas per unit mass of beads 15 (5000 cm^2/gm) with particles with diameters of the order of 100-200 um. An extension of this approach is the use of porous microcarriers which allow the cells to grow inside the beads as well as on the outer surface. Another possibility is to use even smaller diameter latex beads (of the order of 1 um diameter) to act as nucleation sites for the attachment of cells to these beads and to each other. Under certain conditions it may be possible to induce the cells to attach to each other to form agglomerates of cells or flocs. Once cells are attached to either microcarriers or beads or flocs, it is possible to grow the cells in suspension culture. Equipment for growing cells in suspension culture is in routine use and the use of this equipment avoids the problem of developing technology using different equipment such as membrane 30 devices. One of the difficulties encountered, however, with cells grown on microcarriers is that at the cell densities achieved oxygen limitation may occur. While such a limitation may be overcome using known aeration techniques such aeration may cause the cells to be 35 disassociated from the support medium, when the culture

medium is serum-free.

DISCLOSURE OF THE INVENTION

The present inventors have developed a novel tissue culture medium, which enables the aeration of cultures of cells attached to a support medium, without the consequent detachment of the cells in the absence of serum. In addition, the present inventors have developed novel methods for the cultivation of cells requiring attachment.

In a first aspect the present invention consists in an essentially serum-free tissue culture medium characterized in that the culture medium includes in solution a polymer which acts as a cell protective agent by reducing film drainage around the cells.

Without wishing to be bound by scientific theory it is believed that the polymer which acts as a cell protective agent prevents the disassociation of the cells from the support medium and lysis of the cells, when the cells are exposed to direct aeration in the absence of serum, by forming a protective film around the

20 cell/support agglomerate. It is believed that this protective film around the cell/support agglomerate prevents the film of culture medium which surrounds the cells from draining away when the cell/support agglomerate comes into contact with air bubbles. This draining of

25 culture medium is referred to as film drainage. It is also believed that this film may provide a barrier which protects the cells from physical damage caused by the air bubbles.

It is preferred that the polymer is non-ionic and low 30 foaming.

In a preferred embodiment of the present invention the polymer is either polyethylene glycol, polyvinyl pyrollidone or a polymer containing one or more alkylene oxides. It is preferred that the alkylene oxides contain two or three carbon atoms. It is particularly preferred

15

that the polymer is a copolymer of propylene oxide and ethylene oxide.

In a further preferred embodiment of the present invention the polymer of alkylene oxides is present in a concentration of 0.1 to 1.0%.

In another preferred embodiment of the present invention the tissue culture medium is essentially protein-free.

In a second aspect, the present invention consists in a method of culturing a mammalian cell which require attachment comprising the following steps:

- Culturing the mammalian cells in a serum containing medium in a reaction vessel provided with a support medium to which the cells will attach until the cells have attached thereto;
- 2. Decanting the serum containing medium;
- 3. Replacing the decanted medium with an essentially serum-free medium; and
- 4. Aerating the culture in a manner such that the
 20 mammalian cells are not directly exposed to the
 aeration, or directly aerating the culture containing
 the mammalian cells wherein when the aeration is
 direct the essentially serum-free medium includes in
 solution a polymer which acts as a cell protective
 agent by reducing film drainage around the cells.

In a preferred embodiment of this aspect of the present invention the reaction vessel is divided into a culture region and a cell-free region by means of a filter through which culture medium but not cells can pass.

out by bubbling gas into the essentially serum-free culture medium in an aeration chamber remote from the reaction vessel. The aerated medium is then transferred back into the reaction vessel. Alternatively, gas is bubbled into a cell-free region of the reaction vessel.

15

30

When the serum-free culture medium includes the polymer which acts as a cell protective agent by reducing film drainage around the cells and the aeration is direct, it is preferred that aeration is conducted using an air lift positioned within the reaction vessel.

In preferred embodiments of this aspect of the present invention the mammalian cells are a continuous cell line, particularly Chinese hamster ovary cell line, into which DNA coding for a desired polypeptide,

10 particularly human growth hormone (hGH), has been inserted.

Preferably the DNA coding the desired polypeptide is under the control of an inducible promoter, which is induced by a component of the essentially serum-free medium. Further, in a preferred embodiment the essentially serum-free medium is essentially protein-free.

The agitation of the culture may be achieved using an impellor such as an anchor type impellor at a rate at which shear forces generated are low. Obviously other impellor configurations can be used providing the shear forces generated are low.

In a further preferred embodiment the essentially serum-free medium is added continuously and the desired polypeptide recovered continuously.

In order that the nature of the invention may be
25 better understood preferred forms thereof are hereinafter
described by way of example, with reference to the
accompanying drawings, in which:-

Figures 1, 2 and 3 are representations of reactor systems used in preferred embodiments of the invention illustrating various means of aerating the cultures.

Figs. 1 and 2 show indirect aeration of the culture medium whilst Fig. 3 shows direct aeration using an air lift positioned within the reaction vessel.

<u>Example 1</u>

35 A Chinese hamster ovary (CHO) cell line was

transfected with DNA coding for human growth hormone linked to a strong regulatable promoter/enhancer sequence. Further details of the genetic construction are given in WO 86/04920.

Cells were stored in liquid nitrogen ampoules, then reconstituted by growing in either Roux flasks or roller bottles. Cells were harvested using EDTA, washed in PBS and contacted with pretreated microcarriers. microcarriers were either dextran based (Cytodex 1 and 2, 10 Pharmacia or polystyrene based, Biosilan, Nunc). densities of 6-10 cells per carrier were found suitable and resulted in the cells attaching and growing with minimum lag and doubling times of approximately 18 hrs. The medium was a synthetic medium containing 5 or 10% 15 FCS. To build up the number of cells needed to inoculate larger scale vessels, it was possible to add fresh microcarriers to populations of confluent microcarriers and colonisation of the fresh carriers would occur. desired inoculum of microcarriers was transferred to the 20 configuration of the fermentor shown in Fig. 1.

Cells were grown in a serum containing medium until the microcarriers were confluent. The growth media was then removed, the beads being retained in the reactor by the 100 micron stainless steel screen shown in Fig. 1.

This screen designated 10 divides the marketing the property of the containing medium until the microcarrier by the screen designated 10 divides the marketing the containing medium until the microcarrier by the screen designated 10 divides the marketing the containing medium until the microcarriers were confluent. The growth media was the microcarriers were confluent.

25 This screen, designated 10, divides the reaction vessel into a culture region 11 and cell-free region 12. The cells and beads were washed in 1 volume of phosphate buffered saline (PBS) and induction medium for hGH production added. This essentially serum-free medium 30 consisted of:

APPENDIX 1

35

INORGANIC SALTS	mg/1
CaCl ₂ (anhyd.)	162.15
CuSO ₄ .5H ₂ O	0.0013
$Fe(NO_3)_3.9H_20$	0.05

	FeSO ₄ .7H ₂ O	0.417
	KC1	352.5
	KH ₂ PO ₄	30.62
	MgCl ₂ (anhyd.)	23.33 ·
5	MgSO4 (anhyd.)	61.48
	NaC1	6958.5
	NaHCO ₃	1338
	NaH ₂ PO ₄ (H ₂ O)	62.5
	ZnSO ₄ .7H ₂ O	0.432
10	$Na_2 HPO_4 .7H_2 O$	125
	AMINO ACIDS	
	L-Alanine	9.0
	L-Asparagine.H ₂ O	15.0
	L-Arginine.HC1	253.0
15	L-Aspartic acid	13.0
	L-Cysteine HC1.H2O	35.13
	L-Cystine.2HC1	31.29
	L-Glutamic acid	15.00
	L-Glutamine	438.0
20	Glycine	23.0
٠	L-histidine HC1.H2O	42.0
	L-Isoleucine	56.4
	L-Leucine	65.6
	L-Lysine HC1	109.5
25	L-Methionine	19.5
	L-Phenylalanine	38.0
	L-Proline	35.0
	L-Serine	31.5
	L-Threonine	59.4
30	L-Tryptophan	10.0
	L-Tyrosine (disodium salt)	59.83
	L-Valine	58.7
	VITAMINS	
	Ascorbic acid	7.5
35	Biotin	0.0037

	D-Ca pantothenate	2.119
	Choline chloride	8.98
	Folic acid	2.66
	i-Inositol	12.61
5	Nicotinamide	2.02
	Pyridoxal HC1	2.03
	Riboflavin	0.22
	Thiamine HC1	2.169
	Vitamin B ₁₂	0.68
10	OTHER COMPONENTS	
	D-Glucose	3151
	HEPES	3570
	Sodium pyruvate	110
	Hypoxanthine (disodium salt)	2.7
15	Linoleic acid	0.045
	Putrecine 2HC1	0.081
	Thioctic acid (Lipoic)	0.103
	Thymidine	0.35

Once the desired level of hGH had been reached, 20 continuous flow of fresh sterile medium was started, and product minus microcarriers retained by the stainless steel mesh removed at the same rate. With a cell count of 5×10^6 it was possible to maintain at dilution rate of .125 hr⁻¹ with an hGH concentration of 60mg/1. The 25 impellor shown was of the anchor type, obviously other configurations of impellor could be used providing the shear forces were low and did not create too much shear and lyse the cells. Shear generated is a function both of the design of impellor and rotational speed. 30 configuration shown in Fig. 1, mass transfer of oxygen and CO2 has to occur across the surface of the culture. Thus it is possible to accurately determine the interfacial area for mass transfer. Most mammalian cell lines have oxygen requirements of the order of 0.1-1.0

35 millimoles $0_2/10^6$ cells/hr. This means that if

5

surface aeration alone is relied on for oxygen mass transfer, at a cell density of 106 cells/ml, oxygen limitation is likely to occur if the ratio of surface area for transfer to liquid volume is less than 0.15 cm⁻¹.

In order to maximise product concentrations and productivities of recombinant proteins it is necessary to operate at as high a concentration of cells as possible. In order to avoid oxygen limitation at higher cell densities it may be necessary to bubble a gas phase, 10 oxygen enriched if necessary, into the vessel. instance the gas is bubbled into the collection region of the reaction vessel. Another solution is to separate the production and mass transfer functions. This is shown in Fig. 2. Cells are grown in reactor 1. Medium from this 15 reactor, filtered to remove cells, is pumped into the aeration chamber 13 where CO2 is removed and oxygen transferred to the medium. Oxygenated medium is then pumped back to the production vessel. The rate of circulation of medium and relative volumes of the two 20 reactors are functions of the cell concentration and the specific oxygen rates of the cells in reactor 1. possible to feed fresh sterile medium to the system and collect product on either a batch or continuous basis using the addition and removal point shown in Figure 2. 25 For CHO cells at a density of 5 x 106 cells/ml it is necessary to circulate the medium at a rate which replaces the volume of reactor 1 to 7 times per hour. With a kla value in the second reactor of 40 hr⁻¹, the oxygenation reactor may be as small as 1/10 the value of the 30 production reactor. By incorporating a second compartment inside reactor 1, consisting of a mesh which excludes the beads and cells, it is possible to oxygenate the medium within the compartment which is then mixed back with the bulk medium by the mixing action within the reactor

35 providing oxygenated medium to cells throughout the

reactor. In this example cells attached to microcarriers have been described. Obviously the system could be operated where the cells had been immobilised by other methods, such as flocs, porous supports, micro encapsulation etc.

Example 2

This example makes use of the air lift principle, whereby a gas phase is used to promote low shear mixing as well as providing the gas phase for mass transfer. 10 phase is bubbled into the bottom of one section of the reactor, (the riser section), which is connected at the top of the reactor to the downcomer section. introduction of the gas phase into the riser section lowers the density in this section, resulting in the 15 de-aerated higher density culture in the downcomer displacing the lower density culture hence promoting gentle mixing in the reactor. It is possible to join the downcomer and riser sections in several reactor configurations. One configuration, having the riser as a 20 concentric tube 14 inside a cylindrical reaction vessel 15 is shown in Fig. 3. This configuration has been used previously for the growth of hybridoma cells. It has been shown that it is possible to use the configuration for growth and product formation by CHO cells attached to microcarriers with gas rates as low as 0.02 VVM. The gasphase used is basically air, which can be supplemented using the usual control methods with carbon dioxide or ammonia, to maintain culture pH. If necessary, oxygen can also be added to the gas phase to maintain the desired level of dissolved oxygen without using excessively high gassing rates. At the low gassing rates used in this work, foaming problems are minimal; however if foaming occurs in the initial stages, e.g. when the cells are growing on serum containing medium, it is possible to 35 control it with the metered addition (using a conductivity sensor or timed addition) of a silicone based antifoam
e.g. antifoam C, or other antifoams if they do not
interfere with cell growth or product formation. Once the
growth stage has occurred and the microcarrier beads are
confluent, the cells are washed in 1 volume of PBS, using
a stainless steel mesh to maintain the microcarriers. The
reactor is then filled with essentially serum-free medium
containing a copolymer of propylene oxide and ethylene
oxide (Pluriol PE 6800) for the production of hGH. This
medium consisted of the following:

APPENDIX 2

Appendix 2

	INORGANIC SALTS	mg/1
	CaCl ₂ (anhyd.)	162.15
15	CuSO ₄ .5H ₂ O	0.0013
	$Fe(NO_3)_3.9H_20$	0.05
	FeSO ₄ .7H ₂ O	0.417
	KC1	352.5
	KH ₂ PO ₄	30.62
20	MgCl ₂ (anhyd.)	23.33
	MgSO4 (anhyd.)	61.48
	NaC1	6958.5
	NaHCO ₃	1338
	$NaH_2 PO_4 (H_2 O)$	62.5
25	ZnSO ₄ .7H ₂ O	0.432
	$Na_2 HPO_4 .7H_2 O$	125
	AMINO ACIDS	
	L-Alanine	9.0
	L-Asparagine.H ₂ O	15.0
30	L-Arginine.HCl	253.0
	L-Aspartic acid	13.0
	L-Cysteine HC1.H2O	35.13
	L-Cystine.2HC1	31.29
	L-Glutamic acid	15.00
35	L-Glutamine	438.0

	Glycine	23.0
	L-histidine HC1.H ₂ O	42.0
	L-Isoleucine	56.4
	L-Leucine	65.6
5	L-Lysine HCl	109.5
	L-Methionine	19.5
	L-Phenylalanine	38.0
	L-Proline	35.0
	L-Serine ·	31.5
10	L-Threonine	59.4
	L-Tryptophan	10.0
	L-Tyrosine (disodium salt)	59.83
	L-Valine	58.7
	VITAMINS	
15	Ascorbic acid	7.5
	Biotin	0.0037
	D-Ca pantothenate	2.119
	Choline chloride	8.98
	Folic acid	2.66
20	i-Inositol	12.61
	Nicotinamide	2.02
	Pyridoxal HCl	2.03
	Riboflavin	0.22
	Thiamine HC1	2.169
25	Vitamin B ₁₂	0.68
	OTHER COMPONENTS	
	D-Glucose	3151
	HEPES	3570
	Sodium pyruvate	110
30	Hypoxanthine (disodium salt)	2.7
	Linoleic acid	0.045
	Putrecine 2HC1	0.081
	Thioctic acid (Lipoic)	0.103
	Thymidine	0.35
35	Pluriol PE 6800	2000

With a cell concentration of 10⁷ cells/ml, it was possible to run the reactor in a continuous fashion and produce a product stream at a dilution rate of 0.15 hr⁻¹ and an hGH concentration of 80 mg/l. The reactor could also be run in the fed batch or repeated batch mode, where part or all of the contents could be removed from the reactor via the stainless steel mesh, and fresh media replaced either in a batch or continuous fashion. Using this technique, it was possible to obtain product stream with hGH concentrations up to 250 mg/litre.

In this example it is possible to bubble a gas directly in the culture medium as the medium contains the non-toxic, low-foaming, non-ionic compound Pluriol PE 6800. This compound is obtained by the copolymerization of propylene oxide and ethylene oxide. The presence of this compound in the culture medium enables aeration without causing the cells to disassociate from the support medium.

CLAIMS:

- 1. An essentially serum-free tissue culture medium characterized in that the culture medium includes in solution a non-toxic polymer which acts as a cell protective agent by reducing film drainage around the cells.
- 2. An essential serum-free tissue culture medium as claimed in claim 1 in which the polymer is either polyethylene glycol or polyvinyl pyrollidone.
- 3. An essential serum-free tissue culture medium as claimed in claim 1 in which the polymer is a polymer which contains one or more alkylene oxides.
- 4. An essentially serum-free tissue culture medium as claimed in claim 3 in which the alkylene oxides contain 2 or 3 carbon atoms.
- 5. An essentially serum-free tissue culture medium as claimed in claim 3 or claim 4 in which the polymer is a copolymer of propylene oxide and ethylene oxide.
- 6. An essentially serum-free tissue culture medium as claimed in any one of claims 3 to 5 in which the polymer of alkylene oxides is present in a concentration of 0.1 to 1.0%.
- 7. An essentially serum-free tissue culture medium as claimed in any one of claims 1 to 6 in which the tissue culture medium is essentially protein-free.
- 8. A method of culturing a mammalian cell which requires attachment comprising the following steps:
 - Culturing the mammalian cells in a serum containing medium in a reaction vessel provided with a support medium to which the cells will attach until the cells have attached thereto;
 - Decanting the serum containing medium;
 - 3. Replacing the decanted medium with an essentially serum-free medium; and
 - 4. Aerating the culture in a manner such that the

mammalian cells are not directly exposed to the aeration, or directly aerating the culture containing the mammalian cells wherein when the aeration is direct the essentially serum-free medium is as claimed in any one of claims 1 to 7.

- 9. A method as claimed in claim 8 in which the reaction vessel is divided into a culture region and a cell-free region, the culture region being separated from the cell-free region by means of a filter through which culture medium but not cells may pass.
- 10. A method as claimed in claim 8 or claim 9 in which the aeration of the culture is conducted by bubbling a gas into the cell-free region of the reaction vessel.
- 11. A method as claimed in claim 8 or claim 9 in which the aeration of the culture is achieved by aerating essentially serum-free medium free of cells in an aeration chamber remote from the reaction vessel, the aerated medium then being transferred into the reaction vessel.
- 12. A method as claimed in claim 11 in which the essentially serum-free medium free of cells which is subjected to aeration is, at least in part, medium taken from the cell-free region of the reaction tank.
- 13. A method as claimed in claim 8 or claim 9 in which the aeration is carried by means of a lift present within the reaction vessel.
- 14. A method as claimed in any one of claims 8 to 13 in which the mammalian cell is genetically engineered to contain DNA encoding a polypeptide, such that growth of the cells results in production of the polypeptide.
- 15. A method as claimed in claim 14 in which the polypeptide is recovered and purified from culture medium taken from the cell-free region of the reaction vessel.
- 16. A method as claimed in claim 14 or claim 15 in which the DNA coding for the polypeptide is under the control of an inducible promoter, the promoter being induced by a

component of the essentially serum-free medium.

- 17. A method as claimed in any one of claims 14 to 16 in which the mammalian cells are a continuous cell line.
- 18. A method as claimed in claim 17 in which the continuous cell line is Chinese hamster ovary cell line.
- 19. A method as claimed in any one of claims 14 to 18 in which the polypeptide is human growth hormone.
- 20. A method as claimed in any one of claims 8 to 19 in which the essentially serum-free medium is also essentially protein-free.
- 21. A method as claimed in any one of claims 8 to 20 in which the culture is agitated in a manner such that shear forces generated are low.
- 22. A method as claimed in any one of claims 14 to 21 in which the polypeptide is recovered from culture medium continuously removed from the reaction vessel, and fresh essentially serum-free medium is continuously added to the reaction vessel.
- 23. An essentially serum-free tissue culture medium substantially as hereinbefore described with reference to Example 2.
- 24. A method of culturing a mammalian cell which require attachment substantially as hereinbefore described with reference to Example 1 or 2.

AMENDED CLAIMS

[received by the International Bureau on 29 January 1988 (29.01.88); original claims 1-24 replaced by new claims 1-22 (3 pages)]

- 1. A method of culturing mammalian cells which require attachment comprising the following steps:
 - Culturing the mammalian cells in a serum containing medium in a reaction vessel provided with a support medium to which the cells will attach until the cells have attached thereto and grown to the desired cell concentration;
 - Decanting the serum containing medium;
 - 3. Replacing the decanted medium with an essentially serum-free medium which includes in solution a non-toxic polymer which is capable of acting as a cell protective agent by reducing film drainage around the cells and the support medium; and
 - 4. Aerating the culture.
- 2. A method as claimed in claim 1 in which the non-toxic polymer present in the serum-free medium is selected from the group comprising polyethylene glycol and polyvinyl pyrollidone.
- 3. A method as claimed in claim 1 in which the non-toxic polymer present in the serum-free medium is a polymer which contains one or more alkylene oxides.
- 4. A method as claimed in claim 3 in which the alkylene oxide contains 2 or 3 carbon atoms.
- 5. A method as claimed in claim 3 or claim 4 in which the polymer is a copolymer of propylene oxide and ethylene oxide.
- 6. A method as claimed in any one of claims 3 to 5 in which the polymer of alkylene exides is present in the medium in a concentration of 0.1 to 1.0% by weight.
- 7. A method as claimed in claim 1 in which the reaction vessel is divided into a culture region and a cell-free region, the culture region being separated from the cell-free region by means of a filter through which

culture medium but not cells may pass.

- 8. A method as claimed in Claim 7 in which the aeration of the culture is conducted by bubbling a gas into the cell-free region of the reaction vessel.
- 9. A method as claimed in Claim 8 in which the agration of the culture is achieved by agrating essentially sarum-free medium free of cells in an agration chamber remote from the reaction vessel, the agrated medium then being transferred into the reaction vessel.
- 10. A method as claimed in claim 9 in which the essentially serum-free medium free of cells which is subjected to aeration is, at least in part, medium taken from the cell-free region of the reaction tank.
- 11. A method as claimed in any one of claims 1 to 7 in which the aeration is carried out by means of a gas lift present within the reaction vessel.
- 12. A method as claimed in any one of claims 1 to 11 in which the mammalian cell is genetically engineered to contain DNA encoding a polypeptide, such that growth of the cells results in production of the polypeptide.
- 13. A method as claimed in claim 12 in which the polypeptide is recovered and purified from culture medium taken from the cell-free region of the reaction vessel.
- 14. A method as claimed in claim 12 or claim 13 in which the DNA coding for the polypeptide is under the control of an inducible promoter, the promoter being induced by a component of the assentially serum-free medium.
- 15. A method as claimed in any one of claims 12 to 14 in which the mammalian cells are a continuous cell line.
- 16. A method as claimed in claim 15 in which the continuous cell line is Chinese hamster overy cell line.
- 17. A method as claimed in any one of claims 12 to 16 in which the polypeptide is human growth hormone.
- 18. A method as claimed in any one of claims 1 to 17 in which the assentially serum-free medium is also

essentially protein-free.

- 19. A method as claimed in any one of claims 1 to 18 in which the culture is agitated in a manner such that shear forces generated are low.
- 20. A method as claimed in any one of claims 12 to 19 in which the polypeptide is recovered from culture medium continuously removed from the reaction vessel, and fresh essentially serum-free medium is continuously added to the reaction vessel.
- 21. A method of culturing a mammalian cell which require attachment substantially as hereinbefore described with reference to Example 1 or 2.
- 22. A method of culturing mammalian cells which require attachment comprising the following steps:
 - culturing the mammalian cells in a serum containing medium in a reaction vessel provided with a support medium to which the cells will attach until the cells have attached thereto and grown to the desired cell concentration;
 - decanting the serum containing medium;
 - 3. replacing the decanted medium with an essentially serum-free medium; and
 - 4. aerating the culture in a manner such that the mammalian cells are not directly exposed to the aeration.






Figure 2.



Reactor 1

Reactor 2

Figure 3.



INTERNATIONAL SEARCH REPORT

International Application No PCT/AU 87/00248

	FICATION OF SUBJECT MATTER (! several class		
According t	to International Patent Classification (IPC) or to both Na	tional Classification and IPC	
Int	t. C1. C12N 5/00, 5/02, 15/0		
II. FIELDS	SEARCHED		
	' Minimum Docume	intation Searched 1	
Classification	System	Classification Symbols	
IPO US	C C12N 5/00, 5/02 C1. 435/41		
	Documentation Searched other to the Extent that such Document	than Minimum Documentation s are Included in the Fields Searched *	
AU	: IPC as above	•	
III. DOCUM	IENTS CONSIDERED TO BE RELEVANT?		
Category * 1	Citation of Document, " with indication, where app	propriets, of the relevant passages 12	Relevant to Claim No. 13
X	AU,B, 54456/80 (542303) (NATIODEVELOPMENT CORPORATION) 17 June See page 6, lines 4-10	ONAL RESEARCH uly 1980 (17.07.80)	. (1-2)
Ρ,Χ	Derwent Abstract Accession no Class B04, JP,A, 2074284 (TEL (06.04.87)		(1-2)
X,Y Developments in Biological Standardization v 55, (1-24) 1983, published 1984 by Karger (Basel) A. Mizrahi 'Oxygen in Human Lymphoblastoid Cell line Cultures and Effect of Polymers in Agitated and Aerated Cultures', pages 93-102, especially page 101			
Ӱ́	US,A, 4390623 (FRABRICIUS et a (28.06.83) See claim 1	al) 28 June 1983	(8)
Α	AU,A, 38571/85 (DAMON BIOTECH, (22.08.85)	, INC.) 22 August 1985	
Α	AU,A, 22326/83 (BIO-RESPONSE, (21.06.84)	INC.) 21 June 1984	•
A _.	AU,B, 75269/81 (546555) (CHLOF 22 April 1982 (22.04.82)	RELLA INDUSTRY CO. LTD)	
* Special categories of cited documents: 19 "A" document defining the general state of the art which is not considered to be of particular relevance or orderity date and not in conflict with the epolication but cited to understand the principle or theory underlying the invention of the document but published on or after the international filing date or officing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "Italian document published after the international filing date but later than the priority date claimed which is not considered to involve an inventive step when the document is combined with one or more other such documents. Such compined with one or more other such documents. Such compined with one or more other such documents. Such compined with one or more other such documents. Such compined with one or more other such documents. Such compined with one or more other such documents. Such compined with one or more other such documents. Such compined with one or more other such documents. Such compined with one or more other such documents. Such compined with one or more other such documents. Such compined with one or more other such documents. Such compined with one or more other such documents. Such compined with one or more other such documents. Such compined with one or more other such documents. Such compined with one or more other such documents. Such compined with one or more other such documents. Such compined with one or more other such documents. Such compined with one or more other such documents. Such compined with one or more other such documents.			
IV. CERTIF		Date of Mailing of this International Se	arch Report
	Actual Completion of the International Search Jember 1987 (17.11,87)		IEMBER 1987
International	Searching Authority ralian Patent Office	Signapper of Authorized Officer	D.J. SHEPHERD

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL APPLICATION NO. PCT/AU 87 / 00248

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report	Patent Family Members
AU 54456/80	EP 14519 JP 55113722 US 4350683
US 4390623	EP 49611 JP 58029714
AU 38571/85	DE 3504748 FR 2559500 GB 2154246 JP 60199380
AU 22326/83	EP 112155 JP 59175877
AU 75269/81	EP 49632 JP 57065179 US 4431738

END OF ANNEX